

CABLE PARAMETERS

Module	Group	Baseefa			FM		
		μF	mH	or $\mu\text{H}/\Omega$	Group	μF	mH
MTL5011B/5012 5014/5015/ 5018	IIC	2.41	175	983	A+B	2.4	165
	IIB	16.8	680	1333	C	7.2	495
	IIA	75	1000	1333	D	19.2	1000
MTL5017	IIC	2.41	175	983	A+B	2.4	165
	IIB	16.8	680	1333	C	7.2	495
	IIA	75	1000	1333	D	19.2	1320
MTL5021/ 5023/5024	IIC	0.11	1.30	40	A+B	0.17	1.32
	IIB	0.84	3.90	159	C	0.51	3.96
	IIA	2.97	10.4	328	D	1.36	10.56
MTL5022	IIB	0.84	4.55	131	C	0.51	3.96
	IIA	2.97	9.08	265	D	1.36	10.56
MTL5025	IIC	0.11	4.3	63	A+B	0.17	4.2
	IIB	0.84	17.72	235	C	0.51	12.6
	IIA	2.97	36.02	497	D	1.36	33.6
MTL5031	IIC	0.094	4.21	58	A+B	0.13	4.2
	IIB	0.73	17.37	219	C	0.39	12.6
	IIA	2.42	35.29	463	D	1.04	33.6
MTL5032 terminals 2 to 1	IIC	2.41	175	983	A+B	2.4	165
	IIB	16.8	680	1333	C	7.2	495
	IIA	75	1000	1333	D	19.2	1320
terminals 4 and 3 to 1	IIC	0.083	1.45	55	A+B	0.13	1.54
	IIB	0.65	7.2	210	C	0.39	4.71
	IIA	2.15	14.4	444	D	1.04	12.56
terminals 5 and 4 to 1	IIC	0.083	3.05	55	A+B	0.13	4.2
	IIB	0.65	9.15	210	C	0.39	12.6
	IIA	2.15	24.4	444	D	1.04	33.6
terminals 3 to 1	IIC	0.083	3.05	55	A+B	1000	13.8
	IIB	0.65	9.15	210	C	1000	41.4
	IIA	2.15	24.4	444	D	1000	110
MTL5040	IIC	0.083	4.3	56	A+B	0.083	4.3
	IIB	0.65	17.7	210	C	0.65	17.7
	IIA	2.15	36	444	D	2.15	36
MTL5041/5042/ 5044/5045/ 5049/5061	IIC	0.083	3.05	55	A+B	0.13	4.2
	IIB	0.65	9.15	210	C	0.39	12.6
	IIA	2.15	24.4	444	D	1.04	33.6
MTL5043	IIC	0.083	3.05	55	A+B	0.14	4.3
	IIB	0.65	9.15	210	C	0.43	17.3
	IIA	2.15	24.4	444	D	1.14	34.2
MTL5046	IIC	0.083	3.05	55	A+B	0.13	4.2
	IIB	0.65	9.15	210	C	0.39	12.6
	IIA	2.15	24.4	444	D	1.04	34.2
MTL5051	Consult MTL			Consult MTL			
MTL5053	IIC	0.165	0.26	31	A+B	0.26	0.84
	IIB	1.14	0.79	132	C	0.78	3.48
	IIA	4.20	2.12	266	D	2.09	6.40
MTL5074 terminals 1 & 3 and 4 & 5	IIC	22	6.42	288	A+B	0.26	6.0
	IIB	500	25.6	1057	C	0.78	18.0
	IIA	1000	53.0	2228	D	2.08	48.0
terminals 1 & 3 only	IIC	-	-	-	A+B	1000	1000
	IIB	-	-	-	C	1000	1000
	IIA	-	-	-	D	1000	1000
MTL5081	IIC	100	15	2,972	A+B	100	15
	IIB	1,000	60	11,889	C	1,000	60
	IIA	1,000	120	23,779	D	1,000	120
MTL5082 terminals 1 & 3 and 4 & 5	IIC	22.0	48.7	322	A+B	22	48.7
	IIB	500	178.4	1,250	C	500	178.4
	IIA	1,000	363.7	1,705	D	1000	363.7
terminals 1 & 3 only	IIC	22.0	48.7	322	A+B	13.5	153.5
	IIB	500	178.4	1,250	C	240	591.4
	IIA	1,000	363.7	1,705	D	1000	1000
MTL5113P	IIC	3.46	39	475	A+B	-	-
	IIB	23.96	145	1829	C	-	-
	IIA	169.96	299	3093	D	-	-
MTL5314	IIC	0.08	4.3	56	A+B	0.083	4.3
	IIB	0.65	17.7	210	C	0.65	17.7
	IIA	2.15	36	444	D	2.15	36
MTL5344	IIC	120	3.0	-	A+B	-	-
	IIB	360	9.0	-	C	-	-
MTL5349	IIC	0.375	14.64	118	A+B	-	-
	IIB	2.2	55.4	433	C	-	-
	IIA	9.0	116.9	870	D	-	-

