



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:

IECEx BAS 04.0054

issue No.:2

Certificate history:

Issue No. 2 (2009-5-6)

Issue No. 1 (2005-4-20)

Status:

Current

Date of Issue:

2009-05-06

Page 1 of 4

Applicant:

Measurement Technology Limited
Great Marlings
Butterfield
Luton
Bedfordshire
LU2 8DL
United Kingdom

Electrical Apparatus:
Optional accessory:

MTL4044 / MTL4044D Repeater Power Supply: 4-20mA, for 2-Wire Transmitters

Type of Protection:

Intrinsic Safety

Marking:

IECEx BAS 04.0054
[Ex ia] IIC (-40°C ≤ Ta ≤ +60°C)

Approved for issue on behalf of the IECEx
Certification Body:

R S Sinclair

Position:

Managing Director

Signature:
(for printed version)

Date:

6-5-09

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Baseefa
Rockhead Business Park
Staden Lane
Buxton
Derbyshire
SK17 9RZ
United Kingdom





IECEX Certificate of Conformity

Certificate No.: IECEx BAS 04.0054

Date of Issue: 2009-05-06

Issue No.: 2

Page 2 of 4

Manufacturer: **Measurement Technology Limited**
Great Marlings
Butterfield
Luton
Bedfordshire
LU2 8DL
United Kingdom

Manufacturing location(s):
MTL Instruments PVT Ltd
No 3 Old Mahabalipuram
Road
Sholinganallur
Chennai
India

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2000 Edition: 3.1	Electrical apparatus for explosive gas atmospheres - Part 0: General requirements
IEC 60079-11 : 1999 Edition: 4	Electrical apparatus for explosive gas atmospheres - Part 11: Intrinsic safety 'i'

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

IECEX ATR:
UK/BAS/04/0840

File Reference:
04/0840



IECEx Certificate of Conformity

Certificate No.: IECEx BAS 04.0054

Date of Issue: 2009-05-06

Issue No.: 2

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The MTL4044/MTL4044D Repeater Power Supply: 4-20mA, for 2-Wire Transmitters is designed to provide a floating d.c. supply for energising up to two 4-20mA, 2-Wire Transmitters in the hazardous area and repeating these currents in the non-hazardous area, whilst restricting the transfer of energy from the unspecified non-hazardous area apparatus to intrinsically safe circuits by means of limitation of voltage and current.

The MTL4044 version has connections for up to two 4-20mA 2-Wire Transmitters and repeats the current to drive two loads in the non-hazardous area. The MTL4044D version has connections for one 4-20mA 2-Wire transmitter and repeats the current to drive two loads in the non-hazardous area.

The Repeater Power Supply contains electronic circuitry including transformers that provide galvanic isolation between the hazardous and non-hazardous area circuitry, zener diodes to limit the output voltage and resistors to limit the output current. This is housed in a plastic enclosure with external connections made via polarised plug-in connectors, making incorrect connection improbable.

For further information see Annex

CONDITIONS OF CERTIFICATION: NO



IECEx Certificate of Conformity

Certificate No.: IECEx BAS 04.0054

Date of Issue: 2009-05-06

Issue No.: 2

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Variation 2.1

This document permits existing information (for example on Schedule Drawings) to be replaced by the revised certificate holders address. No other changes may be made to the certified design.