

IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:	IECEx BAS 05.0071	e contract de description de la contraction de l	issue No.:1	Certificate history: Issue No. 1 (2009-5-
Status:	Current			Issue No. 0 (2005-1 14)
Date of Issue:	2009-05-06		Page 1 of 4	
Applicant:	Measurement Tec Great Marlings Butterfield Luton Bedfordshire LU2 8DL United Kingdom	hnology Limited		
Electrical Apparatus: Optional accessory:	MTL5023 / MTL5024 Reversal	Solenoid / Alarm	Driver with Line	Fault Detection and Phase
Type of Protection:	Intrinsic Safety			
Marking:	IECEx BAS 05.0071 [Ex ia] IIC -20°C ≤ Ta ≤ +60°C			
Approved for issue on be Certification Body:	ehalf of the IECEx	R S Sinclair		
Position:	Managing Director			
Signature: (for printed version)		M	Parvey	Mifamey

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Date:

Baseefa **Rockhead Business Park** Staden Lane **Buxton** Derbyshire SK17 9RZ **United Kingdom**





IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0071

Date of Issue:

2009-05-06

Issue No.: 1

Page 2 of 4

Manufacturer:

Measurement Technology Limited

Great Marlings Butterfield Luton Bedfordshire LU28DL

United Kingdom

Manufacturing location(s):

MTL Instruments PVT Limited

No. 3 Old Mahabalipuram

Road

Sholinganallur

Chennai

India

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0: 2000

Electrical apparatus for explosive gas atmospheres - Part 0: General requirements

Edition: 3.1

IEC 60079-11: 1999

Electrical apparatus for explosive gas atmospheres - Part 11: Intrinsic safety 'i'

Edition: 4

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

IECEx ATR:

UK/BAS/05/0464/4

File Reference:

05/0464



IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0071

Date of Issue:

2009-05-06

Issue No.: 1

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The MTL5023 / MTL5024 Solenoid / Alarm Driver with Line Fault Detection and Phase Reversal enables a device located in the hazardous area to be controlled by a switch in the non-hazardous area. The MTL5023 restricts the transfer of energy from the unspecified non-hazardous area apparatus to an intrinsically safe circuit by limitation of voltage and current.

A transformer and three opto-couplers provide galvanic isolation between the hazardous and non-hazardous area circuitry. The output channel is protected by duplicated zener diode chains and current limiting resistors to provide voltage and current limitation. The above, together with other electronic components are mounted on a single printed circuit board and housed in a moulded plastic enclosure. Polarised plugs and sockets are provided for the hazardous and non-hazardous area connections. Three LED's are provided to indicate power-on, output active and line fault.

The MTL5024 Solenoid / Alarm Driver with Phase Reversal is similar to MTL5023 apart from the components associated with the Line Fault Detection are not fitted.

See annex for electrical parameters.

CONDITIONS OF CERTIFICATION: NO



IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0071

Date of Issue:

2009-05-06

Issue No.: 1

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Variation 1.1

This document permits existing information (for example on Schedule Drawings) to be replaced by the revised certificate holders address. No other changes may be made to the certified design.