

# EU Declaration of Conformity

We, **Eaton Electric Limited**, Great Marlings, Luton, Bedfordshire, United Kingdom. LU2 8DL

declare under our sole responsibility that the **93XX-FB2-PX-XX products** listed below, to which this declaration relates, conform with the requirements of the Directives below by compliance with the standards listed.

**EMC Directive - Council Directive 2014/30/EU** relating to Electromagnetic Compatibility.

- a. EN 61326-1:2013                      Class A equipment. Table 2 – Industrial locations

**Low Voltage Directive - Council Directive 2014/35/EU** relating to Product Safety.

- b. EN 61010-1:2010  
c. EN 61010-2-201:2018

Compliance with the Low Voltage Directive (LVD) is not required for products covered by the ATEX Directive, however it is included in this declaration as the LVD may apply to these products if they are used in situations not covered by the ATEX Directive.

**ATEX Directive - Council Directive 2014/34/EU** relating to equipment and protective systems intended for use in potentially explosive atmospheres.

- d. EN IEC 60079-0:2018†                      g. EN 60079-11:2012  
e. EN 60079-1:2014                              h. EN 60079-18:2015+A1:2017†  
f. EN 60079-7:2015+A1:2018                      i. EN 60079-31:2014

† Where products were initially assessed for compliance with the Essential Health and Safety Requirements of the Directive using earlier harmonised standards, a subsequent review has determined that compliance is unaffected by the current harmonised standard(s) listed above.

**RoHS Directive - Council Directive 2011/65/EU** amended by **Council Directive 2015/863/EU** relating to hazardous substances in electrical and electronic equipment

The object of the declaration above is in conformity with Directives 2011/65/EU and 2015/863/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of 10 hazardous substances in electrical and electronic equipment. Compliance is demonstrated in accordance with EN IEC 63000:2018.

**Products covered by this declaration:**

Product <sup>5</sup>	Description	EMC <sup>1</sup> Standards	LVD <sup>1</sup> Standards	Year LVD Applied	ATEX <sup>1</sup> Standards	ATEX <sup>2</sup> Marking	Cat1/Cat2 ATEX Cert. No.	Cat3 ATEX Cert. No.
9371-FB2-PS-PP	Fieldbus barrier system, 6-spur, GRP enclosure, pluggable screw terminal connectors	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9371-FB2-PC-PP	Fieldbus barrier system, 6-spur, GRP enclosure, pluggable spring clamp connectors	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9373-FB2-PS-PP	Fieldbus barrier system, 12-spur, GRP enclosure, pluggable screw terminal connectors	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9373-FB2-PC-PP	Fieldbus barrier system, 12-spur, GRP enclosure, pluggable spring clamp connectors	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9374-FB2-PS-PP	Fieldbus barrier system, 12-spur, GRP enclosure, pluggable screw terminal connectors, fitted with single 6-spur fieldbus barrier	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9374-FB2-PC-PP	Fieldbus barrier system, 12-spur, GRP enclosure, pluggable spring clamp connectors, fitted with single 6-spur fieldbus barrier	a	b, c	2014	d, e, f, g, h, i	3	Baseefa14ATEX0112X	None
9371-FB2-PS-SS	Fieldbus barrier system, 6-spur, SS enclosure, pluggable screw terminal connectors	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9371-FB2-PC-SS	Fieldbus barrier system, 6-spur, SS enclosure, pluggable spring clamp connectors	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9373-FB2-PS-SS	Fieldbus barrier system, 12-spur, SS enclosure, pluggable screw terminal connectors	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9373-FB2-PC-SS	Fieldbus barrier system, 12-spur, SS enclosure, pluggable spring clamp connectors	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9374-FB2-PS-SS	Fieldbus barrier system, 12-spur, SS enclosure, pluggable screw terminal connectors, fitted with single 6-spur fieldbus barrier	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9374-FB2-PC-SS	Fieldbus barrier system, 12-spur, SS enclosure, pluggable spring clamp connectors, fitted with single 6-spur fieldbus barrier	a	b, c	2016	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
9388-FB2-PS-SS	Fieldbus barrier system, 2 x 12-spur, SS enclosure, pluggable screw clamp connectors	a	b, c	2017	d, e, f, g, h, i	8	Baseefa17ATEX0139X	None
9388-FB2-PC-SS	Fieldbus barrier system, 2 x 12-spur, SS enclosure, pluggable spring clamp connectors	a	b, c	2017	d, e, f, g, h, i	8	Baseefa17ATEX0139X	None

9373-FB2-PS-SS-2xx <sup>5</sup>	Fieldbus barrier system, 6, 12 or 18-spur, SS enclosure, pluggable screw clamp connectors	a	b, c	2020	d, e, f, g, h, i	4	Baseefa14ATEX0112X	None
---------------------------------	---	---	------	------	------------------	---	--------------------	------

**Notes:**

- 1 Entries in this column may be either letter notation (a,b,c etc..) indicating which standards from page 1 apply, or N/A if the directive does not apply
- 2 Entries in this column refer to notes below indicating ATEX markings present on products, or N/A if the directive does not apply
- 3 ATEX marking Ⓢ II 2(1) GD Ex db eb ib mb [Ia Ga] IIC T4 Gb (see schedule) Ex tb IIIC T80°C Db (Ta = -40°C to +65°C)
- 4 ATEX marking Ⓢ II 2(1) GD Ex db eb ib mb [Ia Ga] IIC T4 Gb (see schedule) Ex tb IIIC T80°C Db (Ta = -40°C to +70°C)
- 5 Product numbers may contain suffixes which do not affect the compliance status detailed here. Where 2xx may be 201 to 299.
- 6 For products of datecode 1729 onwards (YYWW format).
- 7 The products listed in this declaration are fitted with 9377-FB-R Fieldbus Barrier Modules, the compliance of which is covered as part of the products above.
- 8 ATEX marking Ⓢ II 2(1) GD Ex db eb ib mb [Ia Ga] IIC T4 Gb (see schedule) Ex tb IIIC T80°C Db (Ta = -40°C to +65°C)

**Notified Body responsible for issuing Cat 1 or 2 ATEX Certificates:**  
0598 SGS Fimko Oy, Helsinki, 00211, Finland

**Notified Body responsible for ATEX QA regime:**  
0598 SGS Fimko Oy, Helsinki, 00211, Finland