

1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Component Intended for use on/in an Equipment**
Intended for use in Potentially Explosive Atmospheres - Directive 94/9/EC

3 Supplementary EC - Type Examination Certificate Number: **BAS98ATEX7204U/12**

4 Component: **8215-DO-IS 4-Channel IS DO Solenoid Driver**

5 Manufacturer: **GE Intelligent Platforms**

6 Address: **2500 Austin Drive, Charlottesville, Virginia 22911, USA**

7 This supplementary certificate extends EC - Type Examination Certificate No. BAS98ATEX7204U to apply to components designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

The original certificate was issued by The Electrical Equipment Certification Service, Notified Body Number 0600, which retains responsibility for its original documentation. Baseefa, Notified Body Number 1180, is responsible only for the additional work relating to this supplementary certificate and any other supplementary certificate it has issued.

Baseefa Customer Reference No. **6623**

Project File No. **13/0891**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited


Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

A handwritten signature in blue ink, appearing to read 'R S Sinclair'.

R S SINCLAIR

GENERAL MANAGER

On behalf of SGS Baseefa Limited

13

Schedule

14

Certificate Number BAS98ATEX7204U/12

15 **Description of the variation to the Component**

Variation 12.1

To permit the fitting of alternative Opto-isolators and other minor component changes not affecting the original assessment.

16 **Report Number**

GB/BAS/ExTR13.0299/00

17 **Schedule of Limitations**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
CI8215	1 & 2	6	8.13	8215-DO-IS List of Components Essential to Intrinsic Safety

The above drawing is common to and held with IECEx Certificate No. IECEx BAS 12.0016U Iss.1